

# Bennington Drive - August 2015

## Section 1: Background Data

Subwatershed: <u>SL160 CREEK</u>	Outfall ID: <u>8A10+8AN</u>	Today's date: <u>8/23/15</u>
Time (Military): <u>1405</u>	Investigators: <u>PAR</u>	Photo #s:
Nearest Street Address: <u>BENNINGTON DRIVE</u>	Rainfall (in.): Last 24 hours: <u>0</u> Last 48 hours: <u>0</u>	
Land Use in Drainage Area (Check all that apply): <input type="checkbox"/> Industrial <input checked="" type="checkbox"/> Residential <input checked="" type="checkbox"/> Commercial <input checked="" type="checkbox"/> Open Space <input type="checkbox"/> Institutional		
Known Industries: <u>DOWNTOWN SILVER SPRING</u> Notes (e.g., origin of outfall, if known):		

## Section 2: Outfall Description & Quantitative Characterization

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
<input checked="" type="checkbox"/> Closed Pipe	<input checked="" type="checkbox"/> RCP <input type="checkbox"/> Steel <input type="checkbox"/> CMP <input type="checkbox"/> PVC <input type="checkbox"/> HDPE	<input checked="" type="checkbox"/> Circular <input type="checkbox"/> Single <input type="checkbox"/> Elliptical <input type="checkbox"/> Double <input type="checkbox"/> Box <input type="checkbox"/> Triple <input type="checkbox"/> Other: _____ <input type="checkbox"/> Other: _____	Circular, diameter: _____ Box: h - _____ w - _____ Elliptical: h - _____ w - _____	In Water: <input checked="" type="checkbox"/> No <input type="checkbox"/> Partially <input type="checkbox"/> Fully With Sediment: <input type="checkbox"/> No <input type="checkbox"/> Partially <input type="checkbox"/> Fully
<input type="checkbox"/> Open drainage	<input type="checkbox"/> Concrete	<input type="checkbox"/> Rip-rap	<input type="checkbox"/> Earthen	<input type="checkbox"/> Other: _____
<input type="checkbox"/> In-Stream	Flow Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>If No, Skip to Section 5</i>			
Flow Description: <input type="checkbox"/> Trickle <input type="checkbox"/> Moderate <input type="checkbox"/> Substantial				
PARAMETER	RESULT	UNIT	EQUIPMENT	
Ammonia	<u>SA10</u> <u>1.21</u>	mg/L	<u>LaMotte 1200</u>	
	<u>SA1B</u> <u>1.21</u>			

## Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow?  Yes     No    *(If No, Skip to Section 5)*

INDICATOR	CHECK if Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	<input type="checkbox"/>	<input type="checkbox"/> Sewage <input type="checkbox"/> Rancid/sour <input type="checkbox"/> Petroleum/gas <input type="checkbox"/> Sulfide <input checked="" type="checkbox"/> Other: <u>musty/soap</u>	<input checked="" type="checkbox"/> 1 - Faint	<input type="checkbox"/> 2 - Easily detected	<input type="checkbox"/> 3 - Noticeable from a distance
Color	<input type="checkbox"/>	<input type="checkbox"/> Clear <input type="checkbox"/> Brown <input type="checkbox"/> Gray <input type="checkbox"/> Yellow <input type="checkbox"/> Green <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Other:	<input type="checkbox"/> 1 - Faint colors in sample bottle	<input type="checkbox"/> 2 - Clearly visible in sample bottle	<input type="checkbox"/> 3 - Clearly visible in outfall flow
Turbidity	<input type="checkbox"/>	See severity	<input type="checkbox"/> 1 - Slight cloudiness	<input type="checkbox"/> 2 - Cloudy	<input type="checkbox"/> 3 - Opaque
Floatables - Does Not Include Trash!!	<input type="checkbox"/>	<input type="checkbox"/> Sewage (Toilet Paper, etc.) <input type="checkbox"/> Suds <input type="checkbox"/> Petroleum (oil sheen) <input type="checkbox"/> Other:	<input type="checkbox"/> 1 - Few/slight	<input type="checkbox"/> 2 - Some	<input type="checkbox"/> 3 - Obvious

## Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present?  Yes     No    *(If No, Skip to Section 6)*

INDICATOR	CHECK if Present	DESCRIPTION
Outfall Damage	<input type="checkbox"/>	<input type="checkbox"/> Spalling, Cracking or Chipping <input type="checkbox"/> Peeling Paint <input type="checkbox"/> Corrosion
Deposits/Stains	<input type="checkbox"/>	<input type="checkbox"/> Oily <input type="checkbox"/> Flow Line <input type="checkbox"/> Paint <input type="checkbox"/> Other:
Excessive Vegetation	<input type="checkbox"/>	
Poor pool quality	<input type="checkbox"/>	<input type="checkbox"/> Odors <input type="checkbox"/> Colors <input type="checkbox"/> Floatables <input type="checkbox"/> Oil Sheen <input type="checkbox"/> Suds <input type="checkbox"/> Excessive Algae <input type="checkbox"/> Other:
Pipe benthic growth	<input type="checkbox"/>	<input type="checkbox"/> Brown <input type="checkbox"/> Orange <input type="checkbox"/> Green <input type="checkbox"/> Other:

## Section 6: Overall Outfall Characterization

Unlikely     Potential (presence of two or more indicators)     Suspect (one or more indicators with a severity of 3)     Obvious

## Section 7: Notes

	T <sup>o</sup> c	Concl (US)	pH	Sal (ppm)	TDS (mg/L)	
<u>SA10</u>	<u>22.1</u>	<u>1320</u>	<u>7.5</u>	<u>650</u>	<u>941</u>	<u>the sticks few clay</u>
<u>SA1B</u>	<u>20.8</u>	<u>1333</u>	<u>7.62</u>	<u>662</u>	<u>938</u>	

~~same~~  
OB + OA - gold immediately

subs 1st 4/5 ~~1st~~

clear, less 2.1