

Section 1: Background Data

Subwatershed: SL16-0	Outfall ID: FLEETWOOD	Today's date: 12/31/16
Time (Military): 1210	Investigators: PAR	Photo #:
Nearest Street Address: FLEETWOOD	Rainfall (in.): Last 24 hours: 0.02	Last 48 hours: 0.02
Land Use in Drainage Area (Check all that apply): <input type="checkbox"/> Industrial <input checked="" type="checkbox"/> Residential <input type="checkbox"/> Commercial <input type="checkbox"/> Open Space <input type="checkbox"/> Institutional		
Known Industries: _____ Notes (e.g., origin of outfall, if known):		

Section 2: Outfall Description & Quantitative Characterization

LOCATION	MATERIAL	SHAPE	DIMENSIONS (IN.)	SUBMERGED
<input checked="" type="checkbox"/> Closed Pipe	<input checked="" type="checkbox"/> RCP <input type="checkbox"/> Steel <input type="checkbox"/> CMP <input type="checkbox"/> PVC <input type="checkbox"/> HDPE	<input checked="" type="checkbox"/> Circular <input type="checkbox"/> Elliptical <input type="checkbox"/> Box <input type="checkbox"/> Other: _____	Circular, diameter: _____ Box: h - _____ w - _____ Elliptical: h - _____ w - _____	In Water: <input checked="" type="checkbox"/> No <input type="checkbox"/> Partially <input type="checkbox"/> Fully With Sediment: <input checked="" type="checkbox"/> No <input type="checkbox"/> Partially <input type="checkbox"/> Fully
<input type="checkbox"/> Open drainage	<input type="checkbox"/> Concrete	<input type="checkbox"/> Rip-rap	<input type="checkbox"/> Earthen	<input type="checkbox"/> Other: _____
<input type="checkbox"/> In-Stream	Flow Present? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <i>If No, Skip to Section 3</i>			
PARAMETER		RESULT	UNIT	EQUIPMENT
Ammonia		0.00	mg/L	LaMotte 1200

Section 4: Physical Indicators for Flowing Outfalls Only

Are Any Physical Indicators Present in the flow? Yes No *(If No, Skip to Section 5)*

INDICATOR	CHECK IF Present	DESCRIPTION	RELATIVE SEVERITY INDEX (1-3)		
Odor	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Sewage <input type="checkbox"/> Rancid/sour <input type="checkbox"/> Petroleum/gas <input type="checkbox"/> Sulfide <input type="checkbox"/> Other:	<input checked="" type="checkbox"/> 1 - Faint	<input type="checkbox"/> 2 - Easily detected	<input type="checkbox"/> 3 - Noticeable from a distance
Color	<input type="checkbox"/>	<input type="checkbox"/> Clear <input type="checkbox"/> Brown <input type="checkbox"/> Gray <input type="checkbox"/> Yellow <input type="checkbox"/> Green <input type="checkbox"/> Orange <input type="checkbox"/> Red <input type="checkbox"/> Other:	<input type="checkbox"/> 1 - Faint colors in sample bottle	<input type="checkbox"/> 2 - Clearly visible in sample bottle	<input type="checkbox"/> 3 - Clearly visible in outfall flow
Turbidity	<input type="checkbox"/>	See severity	<input type="checkbox"/> 1 - Slight cloudiness	<input type="checkbox"/> 2 - Cloudy	<input type="checkbox"/> 3 - Opaque
Floatables - Does Not Include Trash!!	<input type="checkbox"/>	<input type="checkbox"/> Sewage (Toilet Paper, etc.) <input type="checkbox"/> Suds <input type="checkbox"/> Petroleum (oil sheen) <input type="checkbox"/> Other:	<input type="checkbox"/> 1 - Few/slight	<input type="checkbox"/> 2 - Some	<input type="checkbox"/> 3 - Obvious

Section 5: Physical Indicators for Both Flowing and Non-Flowing Outfalls

Are physical indicators that are not related to flow present? Yes No *(If No, Skip to Section 6)*

INDICATOR	CHECK IF Present	DESCRIPTION
Outfall Damage	<input type="checkbox"/>	<input type="checkbox"/> Spalling, Cracking or Chipping <input type="checkbox"/> Peeling Paint <input type="checkbox"/> Corrosion
Deposits/Stains	<input type="checkbox"/>	<input type="checkbox"/> Oily <input type="checkbox"/> Flow Line <input type="checkbox"/> Paint <input type="checkbox"/> Other:
Excessive Vegetation	<input type="checkbox"/>	
Poor pool quality	<input type="checkbox"/>	<input type="checkbox"/> Odors <input type="checkbox"/> Colors <input type="checkbox"/> Floatables <input type="checkbox"/> Oil Sheen <input type="checkbox"/> Suds <input type="checkbox"/> Excessive Algae <input type="checkbox"/> Other:
Pipe benthic growth	<input type="checkbox"/>	<input type="checkbox"/> Brown <input type="checkbox"/> Orange <input type="checkbox"/> Green <input type="checkbox"/> Other:

Section 6: Overall Outfall Characterization

Unlikely Potential (presence of two or more indicators) Suspect (one or more indicators with a severity of 3) Obvious

Section 7: Notes

Fleetwood

pH	TOF	Sal	TDS	Con	Cl ⁻	Det (ppm)
7.47	41.5	407	588	845	0.02	6.0 (LAS)
					0.01	
					0.01	

