



Data Anomalies at USGS Site 01651000

April 2007

NW Branch Anacostia River near Hyattsville, MD

[Back to Summary.](#)

State standards: Temperature $\leq 32.2^{\circ}\text{C}$ Turbidity ≤ 150 NTU $6.5 \leq \text{pH} \leq 8.5$ Dissolved oxygen > 5.0 mg/l

Parameter	Date	Value
Turbidity	2007-04-30 20:45	530
Turbidity	2007-04-30 21:30	180
Turbidity	2007-04-30 21:45	700
pH	2007-04-25 17:00	8.6
pH	2007-04-25 17:45	8.6
pH	2007-04-24 15:30	8.6
pH	2007-04-24 15:45	8.6
pH	2007-04-24 16:00	8.6
pH	2007-04-24 16:15	8.7
pH	2007-04-24 16:30	8.7
pH	2007-04-24 16:45	8.7
pH	2007-04-24 17:00	8.7
pH	2007-04-24 17:15	8.7
pH	2007-04-24 17:30	8.7
pH	2007-04-24 17:45	8.7
pH	2007-04-24 18:00	8.7
pH	2007-04-24 18:15	8.7
pH	2007-04-24 18:30	8.6
pH	2007-04-24 18:45	8.6
Turbidity	2007-04-23 08:45	490
pH	2007-04-23 15:45	8.6
pH	2007-04-23 16:00	8.6
pH	2007-04-23 16:15	8.6
pH	2007-04-23 16:30	8.6
pH	2007-04-23 16:45	8.6
pH	2007-04-23 17:00	8.6
pH	2007-04-23 17:15	8.6
pH	2007-04-23 17:30	8.6
pH	2007-04-23 17:45	8.6
pH	2007-04-23 18:00	8.6

Parameter	Date	Value
Turbidity	2007-04-15 07:00	180
Turbidity	2007-04-15 07:15	180
Turbidity	2007-04-15 07:30	210
Turbidity	2007-04-15 07:45	210
Turbidity	2007-04-15 08:00	200
Turbidity	2007-04-15 08:15	180
Turbidity	2007-04-15 08:30	180
Turbidity	2007-04-15 08:45	170
Turbidity	2007-04-15 09:00	170
Turbidity	2007-04-15 09:15	160
Turbidity	2007-04-15 09:30	170
Turbidity	2007-04-15 09:45	170
Turbidity	2007-04-15 10:15	170
Turbidity	2007-04-15 10:30	190
Turbidity	2007-04-15 10:45	210
Turbidity	2007-04-15 11:00	230
Turbidity	2007-04-15 11:15	260
Turbidity	2007-04-15 11:30	270
Turbidity	2007-04-15 11:45	270
Turbidity	2007-04-15 12:00	260
Turbidity	2007-04-15 12:15	280
Turbidity	2007-04-15 12:30	340
Turbidity	2007-04-15 12:45	300
Turbidity	2007-04-15 13:00	280
Turbidity	2007-04-15 13:15	560
Turbidity	2007-04-15 13:30	340
Turbidity	2007-04-15 13:45	300
Turbidity	2007-04-15 14:00	390
Turbidity	2007-04-15 14:15	400
Turbidity	2007-04-15 14:30	340
Turbidity	2007-04-15 14:45	370
Turbidity	2007-04-15 15:00	400
Turbidity	2007-04-15 15:15	400
Turbidity	2007-04-15 15:30	320
Turbidity	2007-04-15 15:45	300
Turbidity	2007-04-15 16:00	400
Turbidity	2007-04-15 16:15	300
Turbidity	2007-04-15 16:30	300
Turbidity	2007-04-15 16:45	240

Parameter	Date	Value
Turbidity	2007-04-15 17:00	230
Turbidity	2007-04-15 17:15	220
Turbidity	2007-04-15 17:30	220
Turbidity	2007-04-15 17:45	250
Turbidity	2007-04-15 18:00	190
Turbidity	2007-04-15 18:15	230
Turbidity	2007-04-15 18:30	200
Turbidity	2007-04-15 18:45	280
Turbidity	2007-04-15 19:00	300
Turbidity	2007-04-15 19:15	270
Turbidity	2007-04-15 19:30	210
Turbidity	2007-04-15 19:45	240
Turbidity	2007-04-15 20:00	200
Turbidity	2007-04-15 20:15	240
Turbidity	2007-04-15 20:30	240
Turbidity	2007-04-15 20:45	260
Turbidity	2007-04-15 21:00	190
Turbidity	2007-04-15 21:15	220
Turbidity	2007-04-15 21:30	200
Turbidity	2007-04-15 21:45	230
Turbidity	2007-04-15 22:00	190
Turbidity	2007-04-15 22:15	210
Turbidity	2007-04-15 22:30	180
Turbidity	2007-04-15 22:45	210
Turbidity	2007-04-15 23:00	160
Turbidity	2007-04-15 23:15	160
Turbidity	2007-04-15 23:30	160