



Recent Data Anomalies at USGS Site 01651000 December 2009 NW Branch Anacostia River near Hyattsville, MD

USGS Real-Time Data at this site

State standards: Temperature $\leq 32.2^{\circ}\text{C}$ Turbidity ≤ 150 NTU $6.5 \leq \text{pH} \leq 8.5$ Dissolved oxygen > 5.0 mg/l

From June 30, 2007, until February 15, 2008, water-quality data collection at this streamgage was discontinued due to funding reductions from local agencies.

Parameter	Date	Value
Turbidity	2009-12-09 05:00	170
Turbidity	2009-12-09 05:15	190
Turbidity	2009-12-09 05:30	240
Turbidity	2009-12-09 05:45	230
Turbidity	2009-12-09 06:00	230
Turbidity	2009-12-09 06:15	230
Turbidity	2009-12-09 06:30	220
Turbidity	2009-12-09 06:45	180
Turbidity	2009-12-09 07:00	200
Turbidity	2009-12-09 07:15	200
Turbidity	2009-12-09 07:30	210
Turbidity	2009-12-09 07:45	240
Turbidity	2009-12-09 08:00	250
Turbidity	2009-12-09 08:15	270
Turbidity	2009-12-09 08:30	320
Turbidity	2009-12-09 08:45	330
Turbidity	2009-12-09 09:00	340
Turbidity	2009-12-09 09:15	330
Turbidity	2009-12-09 09:30	370
Turbidity	2009-12-09 09:45	410
Turbidity	2009-12-09 10:00	490
Turbidity	2009-12-09 10:15	400
Turbidity	2009-12-09 10:30	410
Turbidity	2009-12-09 10:45	500
Turbidity	2009-12-09 11:00	420
Turbidity	2009-12-09 11:15	540

Parameter	Date	Value
Turbidity	2009-12-09 11:30	540
Turbidity	2009-12-09 11:45	430
Turbidity	2009-12-09 12:00	450
Turbidity	2009-12-09 12:15	410
Turbidity	2009-12-09 12:30	460
Turbidity	2009-12-09 12:45	400
Turbidity	2009-12-09 13:00	360
Turbidity	2009-12-09 13:15	380
Turbidity	2009-12-09 13:30	390
Turbidity	2009-12-09 13:45	330
Turbidity	2009-12-09 14:00	350
Turbidity	2009-12-09 14:15	330
Turbidity	2009-12-09 14:30	330
Turbidity	2009-12-09 14:45	320
Turbidity	2009-12-09 15:00	360
Turbidity	2009-12-09 15:15	320
Turbidity	2009-12-09 15:30	340
Turbidity	2009-12-09 15:45	270
Turbidity	2009-12-09 16:00	240
Turbidity	2009-12-09 16:15	250
Turbidity	2009-12-09 16:30	220
Turbidity	2009-12-09 16:45	220
Turbidity	2009-12-09 17:00	230
Turbidity	2009-12-09 17:15	210
Turbidity	2009-12-09 17:30	220
Turbidity	2009-12-09 17:45	200
Turbidity	2009-12-09 18:00	190
Turbidity	2009-12-09 18:15	180
Turbidity	2009-12-09 18:30	160
Turbidity	2009-12-09 18:45	180
Turbidity	2009-12-09 19:00	240
Turbidity	2009-12-09 19:15	190
Turbidity	2009-12-09 19:30	200
Turbidity	2009-12-09 19:45	170
Turbidity	2009-12-09 20:00	180
Turbidity	2009-12-09 20:15	160
Turbidity	2009-12-09 20:30	160
Temperature	2009-12-14 14:15	38
pH	2009-12-14 14:15	272

Parameter	Date	Value
pH	2009-12-14 22:45	281
pH	2009-12-14 23:00	281
pH	2009-12-14 23:15	282
pH	2009-12-14 23:30	282
Temperature	2009-12-25 19:30	120
Turbidity	2009-12-25 19:45	160
Turbidity	2009-12-25 21:30	160
Turbidity	2009-12-25 21:45	170
Turbidity	2009-12-25 22:00	160
Turbidity	2009-12-25 22:15	160
Turbidity	2009-12-26 04:30	160
Turbidity	2009-12-26 04:45	200
Turbidity	2009-12-26 05:00	190
Turbidity	2009-12-26 05:15	180
Turbidity	2009-12-26 05:30	200
Turbidity	2009-12-26 05:45	200
Turbidity	2009-12-26 06:00	190
Turbidity	2009-12-26 06:15	200
Turbidity	2009-12-26 06:30	200
Turbidity	2009-12-26 06:45	190
Turbidity	2009-12-26 07:00	180
Turbidity	2009-12-26 07:15	190
Turbidity	2009-12-26 07:30	190
Turbidity	2009-12-26 07:45	200
Turbidity	2009-12-26 08:00	200
Turbidity	2009-12-26 08:15	190
Turbidity	2009-12-26 08:30	190
Turbidity	2009-12-26 08:45	200
Turbidity	2009-12-26 09:00	200
Turbidity	2009-12-26 09:15	190
Turbidity	2009-12-26 09:30	200
Turbidity	2009-12-26 09:45	200
Turbidity	2009-12-26 10:00	210
Turbidity	2009-12-26 10:15	210
Turbidity	2009-12-26 10:30	200
Turbidity	2009-12-26 10:45	210
Turbidity	2009-12-26 11:00	220
Turbidity	2009-12-26 11:15	210
Turbidity	2009-12-26 11:30	210

Parameter	Date	Value
Turbidity	2009-12-26 11:45	220
Turbidity	2009-12-26 12:00	220
Turbidity	2009-12-26 12:15	190
Turbidity	2009-12-26 12:30	210
Turbidity	2009-12-26 12:45	200
Turbidity	2009-12-26 13:00	190
Turbidity	2009-12-26 13:15	180
Turbidity	2009-12-26 13:30	190
Turbidity	2009-12-26 13:45	180
Turbidity	2009-12-26 14:00	200
Turbidity	2009-12-26 14:15	180
Turbidity	2009-12-26 14:30	180
Turbidity	2009-12-26 14:45	180
Turbidity	2009-12-26 15:00	170
Turbidity	2009-12-26 15:15	160
pH	2009-12-31 05:45	603
pH	2009-12-31 06:00	637
pH	2009-12-31 06:15	672
pH	2009-12-31 06:30	658
pH	2009-12-31 06:45	671
pH	2009-12-31 07:00	671
pH	2009-12-31 07:15	671
pH	2009-12-31 07:30	743
pH	2009-12-31 07:45	912
pH	2009-12-31 08:00	1320
pH	2009-12-31 08:15	1940
pH	2009-12-31 08:30	2600
pH	2009-12-31 08:45	2920
pH	2009-12-31 09:00	2980
pH	2009-12-31 09:15	2890
pH	2009-12-31 09:30	2670
pH	2009-12-31 09:45	2410
pH	2009-12-31 10:00	2180
pH	2009-12-31 10:15	2070
pH	2009-12-31 10:30	2060