



Recent Data Anomalies at USGS Site 01651000

July 2008

NW Branch Anacostia River near Hyattsville, MD

USGS Real-Time Data at this site

State standards: Temperature $\leq 32.2^{\circ}\text{C}$ Turbidity ≤ 150 NTU $6.5 \leq \text{pH} \leq 8.5$ Dissolved oxygen > 5.0 mg/l

From June 30, 2007, until February 15, 2008, water-quality data collection at this streamgage was discontinued due to funding reductions from local agencies.

Parameter	Date	Value
Turbidity	2008-07-30 07:45	200
Turbidity	2008-07-28 11:00	410
Turbidity	2008-07-27 13:30	290
Turbidity	2008-07-27 13:45	350
Turbidity	2008-07-27 14:00	300
Turbidity	2008-07-27 14:15	290
Turbidity	2008-07-27 14:30	260
Turbidity	2008-07-27 14:45	250
Turbidity	2008-07-27 15:00	240
Turbidity	2008-07-27 15:15	220
Turbidity	2008-07-27 15:30	210
Turbidity	2008-07-27 15:45	190
Turbidity	2008-07-27 16:00	180
Turbidity	2008-07-27 16:15	180
Turbidity	2008-07-27 16:30	180
Turbidity	2008-07-27 16:45	160
Turbidity	2008-07-27 18:00	160
Turbidity	2008-07-27 18:15	220
Turbidity	2008-07-27 18:30	220
Turbidity	2008-07-27 18:45	220
Turbidity	2008-07-27 19:00	210
Turbidity	2008-07-27 19:15	210
Turbidity	2008-07-27 19:30	210
Turbidity	2008-07-27 19:45	220
Turbidity	2008-07-27 20:00	210
Turbidity	2008-07-27 20:15	200

Parameter	Date	Value
Turbidity	2008-07-27 20:30	180
Turbidity	2008-07-27 20:45	160
Turbidity	2008-07-23 20:30	460
Turbidity	2008-07-23 21:00	520
Turbidity	2008-07-23 21:30	520
Turbidity	2008-07-23 21:45	350
Turbidity	2008-07-23 22:00	310
Turbidity	2008-07-23 22:15	280
Turbidity	2008-07-23 22:30	260
Turbidity	2008-07-23 22:45	220
Turbidity	2008-07-23 23:00	210
Turbidity	2008-07-23 23:15	190
Turbidity	2008-07-23 23:30	170
Turbidity	2008-07-16 02:45	360
Turbidity	2008-07-16 03:00	810
Turbidity	2008-07-16 03:15	540
Turbidity	2008-07-16 04:00	560
Turbidity	2008-07-16 05:00	1040
Turbidity	2008-07-16 05:15	900
Turbidity	2008-07-16 05:30	790
Turbidity	2008-07-16 05:45	770
Turbidity	2008-07-16 06:00	680
Turbidity	2008-07-16 06:15	790
Turbidity	2008-07-16 06:30	610
Turbidity	2008-07-16 06:45	550
Turbidity	2008-07-16 07:00	580
Turbidity	2008-07-16 07:15	540
Turbidity	2008-07-16 07:30	550
Turbidity	2008-07-16 07:45	550
Turbidity	2008-07-16 08:00	500
Turbidity	2008-07-16 08:15	480
Turbidity	2008-07-16 08:30	460
Turbidity	2008-07-16 08:45	440
Turbidity	2008-07-16 09:00	450
Turbidity	2008-07-16 09:15	400
Turbidity	2008-07-16 09:30	400
Turbidity	2008-07-16 09:45	410
Turbidity	2008-07-16 10:00	360
Turbidity	2008-07-16 10:15	350

Parameter	Date	Value
Turbidity	2008-07-16 10:30	350
Turbidity	2008-07-16 10:45	350
Turbidity	2008-07-16 11:00	330
Turbidity	2008-07-16 11:15	320
Turbidity	2008-07-16 11:30	310
Turbidity	2008-07-16 11:45	290
Turbidity	2008-07-16 12:00	280
Turbidity	2008-07-16 12:15	270
Turbidity	2008-07-16 12:30	270
Turbidity	2008-07-16 12:45	260
Turbidity	2008-07-16 13:00	250
Turbidity	2008-07-16 13:15	240
Turbidity	2008-07-16 13:30	220
Turbidity	2008-07-16 13:45	220
Turbidity	2008-07-16 14:00	210
Turbidity	2008-07-16 14:15	190
Turbidity	2008-07-16 14:30	180
Turbidity	2008-07-16 14:45	200
Turbidity	2008-07-16 15:00	180
Turbidity	2008-07-16 15:15	190
Turbidity	2008-07-16 15:30	190
Turbidity	2008-07-16 15:45	160
Turbidity	2008-07-16 16:00	170
Turbidity	2008-07-16 16:15	160
Turbidity	2008-07-16 16:30	160
Turbidity	2008-07-16 16:45	160
Turbidity	2008-07-16 17:00	170
Turbidity	2008-07-16 17:15	160
Turbidity	2008-07-16 17:30	160
Turbidity	2008-07-16 17:45	160
Turbidity	2008-07-16 18:00	160
Turbidity	2008-07-16 18:15	160
Turbidity	2008-07-16 18:30	170
Turbidity	2008-07-16 18:45	170
Turbidity	2008-07-16 19:00	160
Turbidity	2008-07-16 19:15	160
Turbidity	2008-07-16 19:30	160
Turbidity	2008-07-16 19:45	160
Turbidity	2008-07-14 02:45	190

Parameter	Date	Value
Turbidity	2008-07-14 04:00	170
Turbidity	2008-07-14 05:00	260
Turbidity	2008-07-14 05:15	370
Turbidity	2008-07-14 05:45	160
Turbidity	2008-07-14 06:15	460
Turbidity	2008-07-14 06:30	290
Turbidity	2008-07-14 07:30	190
Turbidity	2008-07-14 08:00	160
Turbidity	2008-07-14 08:30	320
Turbidity	2008-07-14 09:00	560
Turbidity	2008-07-13 18:30	200
Turbidity	2008-07-13 19:00	350
Turbidity	2008-07-13 19:15	290
Turbidity	2008-07-13 19:30	490
Turbidity	2008-07-13 19:45	270
Turbidity	2008-07-13 20:00	490
Turbidity	2008-07-13 20:15	230
Turbidity	2008-07-13 20:30	270
Turbidity	2008-07-13 20:45	160
Turbidity	2008-07-13 21:30	160
Turbidity	2008-07-13 22:15	190
Turbidity	2008-07-13 22:45	570
Turbidity	2008-07-13 23:30	300
Turbidity	2008-07-11 07:45	180
Turbidity	2008-07-11 22:15	290
Turbidity	2008-07-10 00:00	230
Turbidity	2008-07-10 00:15	210
Turbidity	2008-07-10 00:30	200
Turbidity	2008-07-10 00:45	170
Turbidity	2008-07-10 01:30	160
Turbidity	2008-07-10 03:15	300
Turbidity	2008-07-10 05:00	180
Turbidity	2008-07-09 19:45	440
Turbidity	2008-07-09 20:00	260
Turbidity	2008-07-09 20:15	250
Turbidity	2008-07-09 20:30	280
Turbidity	2008-07-09 20:45	240
Turbidity	2008-07-09 21:00	310
Turbidity	2008-07-09 21:15	190

Parameter	Date	Value
Turbidity	2008-07-09 21:30	220
Turbidity	2008-07-09 21:45	630
Turbidity	2008-07-09 22:00	320
Turbidity	2008-07-09 22:15	290
Turbidity	2008-07-09 22:30	200
Turbidity	2008-07-09 22:45	370
Turbidity	2008-07-09 23:00	360
Turbidity	2008-07-09 23:30	220
Turbidity	2008-07-09 23:45	420
Turbidity	2008-07-06 16:45	240
Turbidity	2008-07-06 20:15	470
Turbidity	2008-07-06 21:00	180