



Recent Data Anomalies at USGS Site 01651000

March 2008

NW Branch Anacostia River near Hyattsville, MD

USGS Real-Time Data at this site

State standards: Temperature $\leq 32.2^{\circ}\text{C}$ Turbidity ≤ 150 NTU $6.5 \leq \text{pH} \leq 8.5$ Dissolved oxygen > 5.0 mg/l

From June 30, 2007, until February 15, 2008, water-quality data collection at this streamgage was discontinued due to funding reductions from local agencies.

Parameter	Date	Value
Turbidity	2008-03-31 00:15	450
Turbidity	2008-03-31 00:45	300
Turbidity	2008-03-31 06:45	300
Turbidity	2008-03-31 07:00	160
Turbidity	2008-03-31 12:00	310
Turbidity	2008-03-31 12:15	410
Turbidity	2008-03-31 12:30	540
Turbidity	2008-03-31 13:15	490
Turbidity	2008-03-31 15:15	160
Turbidity	2008-03-31 15:30	280
Turbidity	2008-03-31 15:45	670
Turbidity	2008-03-31 16:00	750
Turbidity	2008-03-31 16:45	360
Turbidity	2008-03-31 17:15	250
Turbidity	2008-03-31 18:15	280
Turbidity	2008-03-31 18:30	410
Turbidity	2008-03-31 18:45	460
Turbidity	2008-03-31 20:15	390
Turbidity	2008-03-31 20:30	690
Turbidity	2008-03-31 21:15	420
Turbidity	2008-03-31 22:00	460
Turbidity	2008-03-31 22:15	560
Turbidity	2008-03-31 23:00	550
Turbidity	2008-03-31 23:45	500
Turbidity	2008-03-30 14:00	280
Turbidity	2008-03-30 14:15	290

Parameter	Date	Value
Turbidity	2008-03-30 16:15	300
Turbidity	2008-03-30 19:15	290
Turbidity	2008-03-30 19:30	290
Turbidity	2008-03-30 22:15	300
Turbidity	2008-03-30 23:00	300
Turbidity	2008-03-30 23:15	300
Turbidity	2008-03-30 23:30	300
Turbidity	2008-03-29 20:30	280
Turbidity	2008-03-26 14:00	260
Turbidity	2008-03-26 14:15	660
Turbidity	2008-03-25 20:30	340
Turbidity	2008-03-25 21:00	380
pH	2008-03-15 18:15	8.6
pH	2008-03-15 18:30	8.6
pH	2008-03-15 18:45	8.6
Turbidity	2008-03-07 20:00	660
Turbidity	2008-03-05 01:00	180
Turbidity	2008-03-05 01:15	190
Turbidity	2008-03-05 01:30	190
Turbidity	2008-03-05 02:00	220
Turbidity	2008-03-05 02:15	230
Turbidity	2008-03-05 02:30	220
Turbidity	2008-03-05 02:45	250
Turbidity	2008-03-05 03:00	260
Turbidity	2008-03-05 03:15	280
Turbidity	2008-03-05 03:30	310
Turbidity	2008-03-05 04:00	320
Turbidity	2008-03-05 04:15	550
Turbidity	2008-03-05 04:30	400
Turbidity	2008-03-05 04:45	410
Turbidity	2008-03-05 05:00	470
Turbidity	2008-03-05 05:15	430
Turbidity	2008-03-05 05:30	420
Turbidity	2008-03-05 05:45	460
Turbidity	2008-03-05 06:00	450
Turbidity	2008-03-05 06:15	450
Turbidity	2008-03-05 06:30	460
Turbidity	2008-03-05 06:45	500
Turbidity	2008-03-05 07:00	530

Parameter	Date	Value
Turbidity	2008-03-05 07:15	590
Turbidity	2008-03-05 07:30	700
Turbidity	2008-03-05 07:45	620
Turbidity	2008-03-05 08:00	590
Turbidity	2008-03-05 08:15	580
Turbidity	2008-03-05 08:30	500
Turbidity	2008-03-05 08:45	500
Turbidity	2008-03-05 09:00	520
Turbidity	2008-03-05 09:15	460
Turbidity	2008-03-05 09:30	470
Turbidity	2008-03-05 09:45	460
Turbidity	2008-03-05 10:00	450
Turbidity	2008-03-05 10:15	440
Turbidity	2008-03-05 10:45	380
Turbidity	2008-03-05 11:00	340
Turbidity	2008-03-05 11:15	410
Turbidity	2008-03-05 11:30	350
Turbidity	2008-03-05 11:45	390
Turbidity	2008-03-05 12:00	320
Turbidity	2008-03-05 12:15	310
Turbidity	2008-03-05 12:30	280
Turbidity	2008-03-05 12:45	280
Turbidity	2008-03-05 13:00	290
Turbidity	2008-03-05 13:15	250
Turbidity	2008-03-05 13:30	260
Turbidity	2008-03-05 13:45	250
Turbidity	2008-03-05 14:00	350
Turbidity	2008-03-05 14:15	240
Turbidity	2008-03-05 14:30	220
Turbidity	2008-03-05 14:45	220
Turbidity	2008-03-05 15:15	190
Turbidity	2008-03-05 15:45	180
Turbidity	2008-03-05 16:00	180
Turbidity	2008-03-05 16:15	180
Turbidity	2008-03-05 16:45	170
Turbidity	2008-03-05 17:00	160
Turbidity	2008-03-05 17:30	160
Turbidity	2008-03-05 23:45	510