



Recent Data Anomalies at USGS Site 01651000

October 2009

NW Branch Anacostia River near Hyattsville, MD

USGS Real-Time Data at this site

State standards: Temperature $\leq 32.2^{\circ}\text{C}$ Turbidity ≤ 150 NTU $6.5 \leq \text{pH} \leq 8.5$ Dissolved oxygen > 5.0 mg/l

From June 30, 2007, until February 15, 2008, water-quality data collection at this streamgage was discontinued due to funding reductions from local agencies.

Parameter	Date	Value
Dissolved Oxygen	2009-10-05 00:00	0.8
pH	2009-10-05 00:00	373
Dissolved Oxygen	2009-10-05 00:15	1.0
pH	2009-10-05 00:15	373
Dissolved Oxygen	2009-10-05 00:30	0.7
pH	2009-10-05 00:30	373
Dissolved Oxygen	2009-10-05 00:45	0.9
pH	2009-10-05 00:45	373
Dissolved Oxygen	2009-10-05 01:00	0.7
pH	2009-10-05 01:00	373
Dissolved Oxygen	2009-10-05 01:15	0.8
pH	2009-10-05 01:15	374
Dissolved Oxygen	2009-10-05 01:30	0.9
pH	2009-10-05 01:30	374
Dissolved Oxygen	2009-10-05 01:45	0.7
pH	2009-10-05 01:45	374
Dissolved Oxygen	2009-10-05 02:00	0.9
pH	2009-10-05 02:00	374
Dissolved Oxygen	2009-10-05 02:15	0.9
pH	2009-10-05 02:15	374
Dissolved Oxygen	2009-10-05 02:30	0.9
pH	2009-10-05 02:30	374
Dissolved Oxygen	2009-10-05 02:45	1.1
pH	2009-10-05 02:45	374
Dissolved Oxygen	2009-10-05 03:00	0.8
pH	2009-10-05 03:00	374

Parameter	Date	Value
Dissolved Oxygen	2009-10-05 03:15	1.0
pH	2009-10-05 03:15	374
Dissolved Oxygen	2009-10-05 03:30	1.0
pH	2009-10-05 03:30	374
Dissolved Oxygen	2009-10-05 03:45	1.1
pH	2009-10-05 03:45	375
Dissolved Oxygen	2009-10-05 04:00	1.1
pH	2009-10-05 04:00	375
Dissolved Oxygen	2009-10-05 04:15	0.9
pH	2009-10-05 04:15	375
Dissolved Oxygen	2009-10-05 04:30	0.9
pH	2009-10-05 04:30	375
Dissolved Oxygen	2009-10-05 04:45	0.9
pH	2009-10-05 04:45	376
Dissolved Oxygen	2009-10-05 05:00	1.1
pH	2009-10-05 05:00	376
Dissolved Oxygen	2009-10-05 05:15	0.9
pH	2009-10-05 05:15	376
Dissolved Oxygen	2009-10-05 05:30	0.9
pH	2009-10-05 05:30	377
Dissolved Oxygen	2009-10-05 05:45	0.9
pH	2009-10-05 05:45	377
Dissolved Oxygen	2009-10-05 06:00	1.0
pH	2009-10-05 06:00	377
Dissolved Oxygen	2009-10-05 06:15	1.1
pH	2009-10-05 06:15	378
Dissolved Oxygen	2009-10-05 06:30	0.9
pH	2009-10-05 06:30	377
Dissolved Oxygen	2009-10-05 06:45	1.0
pH	2009-10-05 06:45	378
Dissolved Oxygen	2009-10-05 07:00	1.1
pH	2009-10-05 07:00	378
Dissolved Oxygen	2009-10-05 07:15	1.1
pH	2009-10-05 07:15	378
Dissolved Oxygen	2009-10-05 07:30	1.2
pH	2009-10-05 07:30	378
Dissolved Oxygen	2009-10-05 07:45	1.0
pH	2009-10-05 07:45	378
Dissolved Oxygen	2009-10-05 08:00	1.1

Parameter	Date	Value
pH	2009-10-05 08:00	378
Dissolved Oxygen	2009-10-05 08:15	1.2
pH	2009-10-05 08:15	378
Dissolved Oxygen	2009-10-05 08:30	1.2
pH	2009-10-05 08:30	378
pH	2009-10-05 10:00	378
pH	2009-10-05 11:30	377
pH	1.22	14.0
Turbidity	2009-10-27 07:15	160
Turbidity	2009-10-28 01:15	250
Turbidity	2009-10-28 01:45	190
Turbidity	2009-10-28 06:15	250
Turbidity	2009-10-28 06:30	170
Turbidity	2009-10-28 06:45	370
Turbidity	2009-10-28 07:00	230
Turbidity	2009-10-28 07:15	240
Turbidity	2009-10-28 07:30	260
Turbidity	2009-10-28 07:45	260
Turbidity	2009-10-28 08:00	260
Turbidity	2009-10-28 08:15	280
Turbidity	2009-10-28 08:30	260
Turbidity	2009-10-28 08:45	300
Turbidity	2009-10-28 09:00	260
Turbidity	2009-10-28 09:15	270
Turbidity	2009-10-28 09:30	270
Turbidity	2009-10-28 09:45	260
Turbidity	2009-10-28 10:00	290
Turbidity	2009-10-28 10:15	280
Turbidity	2009-10-28 10:30	260
Turbidity	2009-10-28 10:45	280
Turbidity	2009-10-28 11:00	250
Turbidity	2009-10-28 11:15	280
Turbidity	2009-10-28 11:30	270
Turbidity	2009-10-28 11:45	250
Turbidity	2009-10-28 12:00	290
Turbidity	2009-10-28 12:15	230
Turbidity	2009-10-28 12:30	240
Turbidity	2009-10-28 12:45	230
Turbidity	2009-10-28 13:00	220

Parameter	Date	Value
Turbidity	2009-10-28 13:15	200
Turbidity	2009-10-28 13:30	200
Turbidity	2009-10-28 13:45	200
Turbidity	2009-10-28 14:00	220
Turbidity	2009-10-28 14:15	180
Turbidity	2009-10-28 14:30	180
Turbidity	2009-10-28 14:45	170
Turbidity	2009-10-28 15:00	180
Turbidity	2009-10-28 15:15	160
pH	2009-10-30 07:30	265